

APPENDIX - G.

(See Rule 8 (14))

Minimum thickness of walls of dwelling houses and other domestic buildings.

No. of stories above ground	Height above plinth level	Length of wall	Thickness of wall at							
			Base-ment	Ground floor	1st floor	2nd floor	3rd floor	4th floor	5th floor	
1	11 ft.	Unlimited	13½"	9"						
1	16 "	Unlimited upto a height of 8 ft. & For the remaining height.	13½"	13½"						
1	24 "	Under 30 ft.	18"	13½"						
2	24 "	-do-	18"	13½"	9"					
2	24 "	Over 30 ft.	18"	13½"	9"					
3	35 "	Under 30 ft.	18"	13½"	13½"	9"				
3	35 "	Over 30 ft.	18"	18"	13½"	9"				
4	46 "	Under 30 ft.	18"	18"	13½"	13½"	9"			
4	46 "	Over 30 ft.	22½"	18"	18"	13½"	12 9"			
5	57 "	Under 30 ft.	22½"	18"	18"	13½"	13½"	9"		
5	57 "	Over 30 ft.	22½"	22½"	18"	18"	13½"	13½"	9"	9"

MUNICIPAL OFFICE, COIMBATORE,
Dated 9-5-1955.

Copy communicated to Town Planning Officer and H-1 for information and necessary action.

(Sd.) T.A. Narasa Reddy,
Commissioner.

/True copy/

Municipal Office, Coimbatore,
Dated 18-5-1955.

Copy communicated to all Clerks and Out-door superior staff for information and guidance.

B. Rajmal

TOWN PLANNING OFFICER.

TU/27-5-p.