GOVERNMENT OF MADRAS. Health Department. G.O. No. 3546, 10th November 1952.

Rules - Revised Building Rules - Amendments to rule 4 - Draft rules -Confirmed.

READ -- the following papers:- . .

G.O. No.2179, P.H., dated 15th July 1942. G.O. No.2507, Health, dated 5th August 1952. From the Director of Town Planning, dated 28th October 1952 Rc. No. 11385/52-04.

ORDER- No. 3546, Health, dated 10th November 1952.

In G.O. No. 2507, Wealth, dated the 5th August 1952, the Government ordered the publication of a draft of certain amendments to rule 4 of the Revised Building Rules, 1942, issued with G.O. No.2179, P.H., dated the 15th July 1942, issued with G.O. No.2179, P.H., dated the 15th July 1942, as subsequently amended. No objection or suggestion having been received, with respect to the draft amendments, the Government hereby confirm them.

2. The appended notification will be published in the Fort St. George Gazotte.

/By Order of the Governor/

S.A. SUBBAN,

Deputy Secretary to Government.

To the Executive Authorities of all Munici-

palities (through the Chairmen of the Municipal Councils concerned). XX

APPENDIX.

Notification.

In exercise of the powers conferred by sections 191 and 303 (2)(a) of the Madras DISTRICT MUNICIPALITIES ACT, 1920 (Madras Act V of 1920) the Governor of Madras hereby makes the following amendments to the Revised Building Rules, 1942 (published with the late Public Health Department Notification, dated the 25th July 1942, at pages 2-16 of the Rules Supplement to Part I-A of the Fort St. George Gazotte, dated the 4th August 1942, as subsequently amended):-

Amendments.

In the said Rules --

(1) for the sub-heading "Proximity of Electric Supply Lines - With-holding of Permission" to rule 4, the sub-heading "Proximity of Conductors or Aerial lines - Withholding of Permission" shall be substituted:

(2) In rule 4--

(a) in sub-rule (1), for the words "electric supply lines", the words "aerial lines" shall be substituted;

(b) in sub-rule (2)--

(i) for the words "electric lines", the words "aerial lines" shall be substituted; and (ii) for sub-clauses (a), (b) and (c) the following sub-clauses shall respectively be substituted, namely:-"(a) 5 feet for low-tension lines and 6 feet for high tension lines

from accessible portions of buildings measured horizontally, and 4 feet for both low-tension and high-tension lines from inaccessible portions measured horizontally;
(b) 8 fact from portions of buildings not accessible to persons,

(c) 15 foot from accessible portions of buildings measured vertically".

No. 54/H1.

MUNICIPAL OFFICE, COIMBATORE, Dated 11-11-1954.

ENDORSEMENT. Copy communicated to all Building Inspectors and clorks (H1 to H7) for information and guidance. The Building Inspectors should in all their reports to be made hereafter on building applications, add a separate note and state clearly the clearance ave lable as per the proposals made by the parties.

> Pol Capaporel TOWN PLANNING OFFICER.

TU/12-11-p.